

ANALYTICA CHIMICA ACTA, VOL. 283 (1993)

AUTHOR INDEX

- Adams, F.
—, Adriaens, A., Berghmans, P. and Janssens, K.
Surface microanalysis 19
Adams, F., see Janssens, K. 98
Adriaens, A., see Adams, F. 19
Adriaenssens, P., see Hoogmartens, I. 1025
Agraz, R.
—, Sevilla, M.T. and Hernández, L.
Copper speciation analysis using a chemically modified electrode 650
Aizpún Fernández, B., see Valdés-Hevia y Temprano, M.C. 175
Albertí, J., see Rubio, R. 160
Alçada, M.N.M.P.
—, Lima, J.L.F.C. and Montenegro, M.C.B.S.M.
Quinidine ion-selective electrode for potentiometric determinations in pharmaceutical preparations 657
Alés Barrero, F., see Cruces Blanco, C. 213
Arnold, M.A., see Pan, S. 663
Arroyo Cortéz, J., see López García, I. 167
Arruda, M.A.Z.
—, Zagatto, E.A.G. and Maniasso, N.
Kinetic determination of cobalt and nickel by flow-injection spectrophotometry 476
- Backbier, L.
—, Rousseau, J. and Bart, J.C.J.
Analytical study of salt migration and efflorescence in a mediaeval cathedral 855
Baeza Baeza, J.J.
—, Matsumoto, K. and Mottola, H.A.
Comparative studies on data collection and data treatment in kinetic-based determinations with two rotating bioreactor/amperometric detection systems 785
Baltensperger, U., see Seefeld, S. 246
Barbosa, J.
— and Sanz-Nebot, V.
Standard pH values in non-aqueous mobile phases used in reversed-phase liquid chromatography 320
Barendswaard, W.
—, Moonen, J. and Neilen, M.
Analysis of polymer stabilizers by means of solid state NMR: some case studies 1007
Barnes, R.M.
Advances in inductively coupled plasma mass spectrometry: human nutrition and toxicology 115
Bart, J.C.J., see Backbier, L. 855
- Beltran, J.
—, López, F.J. and Hernández, F.
Solid-phase extraction of pesticide residues from ground water: comparison between extraction cartridges and extraction discs 297
Berghmans, P., see Adams, F. 19
Borguet, F., see Cornelis, R. 183
Bos, M., see Palys, M.J. 811
Bosch-Reig, F.
—, Campíns-Falcó, P. and Verdú-Andrés, J.
Development of the H-point standard additions method for analyte determinations in unknown matrix. Location of linear matrix spectral interval 831
Brázdová, D., see Kalous, J. 645
Bruchmann, A.
—, Zinn, P. and Haffer, Chr.M.
Prediction of gas chromatographic retention index data by neural networks 869
- Cámara, C., see Marco, V. 489
Camara, C., see Cobo Fernandez, M.G. 386
Campillo, N., see Viñas, P. 393
Campíns-Falcó, P., see Bosch-Reig, F. 831
Campíns Falcó, P., see Molins Legua, C. 635
Cano Pavon, J.M., see Vereda Alonso, E. 224
Caravatti, P., see Struyf, H. 139
Caroli, S.
Certified reference materials: use, manufacture and certification 573
Carrillo, F., see Marco, V. 489
Casamayor, F., see Maquieira, A. 401
Casassas, E.
—, Domínguez, N., Fonrodona, G. and De Juan, A.
Factor analysis applied to the study of the effects of solvent composition and nature of the inert electrolyte on the protonation constants in dioxane-water mixtures 548
—, Gargallo, R., Giménez, I., Izquierdo-Ridorsa, A. and Tauler, R.
Application of an evolving factor analysis-based procedure to speciation analysis in the copper(II)-polyuridylic acid system 538
Cerezo Galan, A., see Ismail Salem, I. 334
Cholewa, N., see Legge, G.J.F. 62
Ciocan, A., see Hiddemann, L. 152
Cobo Fernandez, M.G.
—, Palacios, M.A. and Camara, C.

- Flow-injection and continuous-flow systems for the determination of Se(IV) and Se(VI) by hydride generation atomic absorption spectrometry with on-line prereduction of Se(VI) to Se(IV) 386
- Compañó, R.
—, Granados, M., Leal, C. and Prat, M.D.
Solid-phase extraction and spectrofluorimetric determination of triphenyltin in environmental samples 272
- Cornelis, R.
—, Borguet, F. and De Kimpe, J.
Trace elements in medicine. Speciation: the new frontier 183
- Cosano, J., see Quevauviller, Ph. 600
- Crouch, S.R.
Trends in kinetic methods of analysis 453
- Cruces Blanco, C.
—, García Campaña, A., Alés Barrero, F. and Román Ceba, M.
Simultaneous spectrofluorimetric determination of traces of molybdenum and boron in plant leaves 213
- Cruz, I.
—, Wells, D.E. and Marr, I.L.
Determination of organochlorines in sea water: an assessment 280
- Dasgupta, P.K., see Liu, S. 739, 747
- De Juan, A., see Casassas, E. 548
- De Kimpe, J., see Cornelis, R. 183
- De la Peña, L.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Simultaneous kinetic-photometric determination of imipramine and desipramine by stopped-flow mixing technique 471
- De la Rosa, F.F., see Lin, Q. 379
- Dessenne, O., see Hiddemann, L. 152
- Díaz-García, M.E., see Valencia-González, M.J. 439
- Dombek, V., see Praus, P. 917
- Domínguez, N., see Casassas, E. 548
- Do Nascimento, D.B.
— and Schwedt, G.
Off-line and on-line preconcentration of trace levels of beryllium using complexing agents with atomic spectrometric and fluorimetric detection 909
- Do Nascimento, P.C.
— and Schwedt, G.
Comparative studies of the determination of cyanide at low concentration levels in waste waters 755
- Dunemann, L.
— and Hajimiragha, H.
Development of a screening method for the determination of volatile organic compounds in body fluids and environmental samples using purge and trap gas chromatography-mass spectrometry 199
- Dybowski, C.R., see Rethwisch, D.G. 1033
- Eagles, J., see Mellon, F.A. 190
- Ebdon, L., see Garcia-Alonso, J.I. 261
- Eckert, H., see Franke, D. 987
- Ellis, P.D., see Koons, J.M. 1045
- El'skaya, A.V., see Soldatkin, A.P. 695
- Elswijk, H.B.
Scanning tunnelling microscopy of silicon surfaces 35
- Engelhardt, G.
—, Sieger, P. and Felsche, J.
Multinuclear solid state NMR of host-guest systems with TO_2 (T = Si, Al) host-frameworks. A case study on sodalites 967
- Escobar, R., see Lin, Q. 379
- Fairweather-Tait, S.J., see Mellon, F.A. 190
- Fan, Z., see Harrison, D.J. 361
- Felsche, J., see Engelhardt, G. 967
- Fernández-Romero, J.M.
—, Luque de Castro, M.D., Valcárcel, M. and Quiles-Zafra, R.
Spectrophotometric determination of magnesium in serum by using a flow-injection system with an immobilized enzyme reactor 447
- Fernández de la Campa, M.R., see Valdés-Hevia y Temprano, M.C. 175
- Fiedor, J.N., see Hercules, D.M. 42
- Fonrodona, G., see Casassas, E. 548
- Fox, T.E., see Mellon, F.A. 190
- Franke, D.
—, Eckert, H., Kaner, R.B. and Treece, R.E.
Quantitative evaluation of gallium phosphide samples prepared from rapid solid state metathesis. Solid state ^{31}P and ^{69}Ga magic angle spinning NMR strategies 987
- Frimmel, F.H., see Schullerer, S. 251
- Garcia-Alonso, J.I.
—, Sanz-Medel, A. and Ebdon, L.
Determination of butyltin ion species by ion-exchange chromatography with inductively coupled plasma mass spectrometric and spectrofluorimetric detection 261
- García Beltran, L., see Rubio, R. 207
- García Campaña, A., see Cruces Blanco, C. 213
- García de Torres, A., see Vereda Alonso, E. 224
- Gargallo, R., see Casassas, E. 538
- Gautier, E.A.
—, Gettar, R.T. and Servant, R.E.
Simultaneous determination of lanthanum, strontium and copper in superconductor materials by ion chromatography 350
- Gelan, J., see Hoogmartens, I. 1025
- Gerstein, B.C.
—, Pruski, M. and Hwang, S.-J.
Determination of proton densities on silica gel catalyst supports by n -quantum coherence in NMR 1059
- Gettar, R.T., see Gautier, E.A. 350
- Gijbels, R., see Struyf, H. 139
- Giménez, I., see Casassas, E. 538
- Glennon, J.D., see Ryan, N. 344
- Gómez-Hens, A., see De la Peña, L. 471
- Granados, M., see Compañó, R. 272
- Griepink, B., see Maier, E.A. 590

- Griepink, B., see Quevauviller, Ph. 583, 600
- Griffin, R.G., see Griffiths, J.M. 1081
- Griffiths, J.M.
— and Griffin, R.G.
Nuclear magnetic resonance methods for measuring dipolar couplings in rotating solids 1081
- Gübitz, G.
— and Shellum, C.
Flow-injection immunoassays. Review 421
- Guiochon, G.A.
Chromatography, today and tomorrow 309
- Guiraúm, A., see Lin, Q. 379
- Gutzman, D.W.
— and Langford, C.H.
Application of thermal lens spectrometry to kinetic speciation studies of metal ions in natural water models with colloidal ligands 773
- Haffer, Chr.M., see Bruchmann, A. 869
- Hajimiragha, H., see Dunemann, L. 199
- Håkanson, H., see Shu, H.-C. 727
- Hamplová, V., see Novák, J. 923
- Harrison, D.J.
—, Fan, Z., Seiler, K., Manz, A. and Widmer, H.M.
Rapid separation of fluorescein derivatives using a micro-machined capillary electrophoresis system 361
- Hercules, D.M.
—, Houalla, M., Proctor, A. and Fiedor, J.N.
Quantitation of species on catalyst surfaces 42
- Hernández-Cassou, S., see Saurina, J. 414
- Hernández, F., see Beltran, J. 297
- Hernández-Hernández, F., see Sancho-Llopis, J.V. 287
- Hernández, L., see Agraz, R. 650
- Hernández, L., see Pilar da Silva, M. 326
- Hernández Córdoba, M., see López García, I. 167
- Hernández Córdoba, M., see Viñas, P. 393
- Heumann, K.G.
Determination of inorganic and organic traces in the clean room compartment of Antarctica 230
- Heydorn, K.
Detecting errors in micro and trace analysis by using statistics 494
- Hiddeemann, L.
—, Uebbing, J., Ciocan, A., Dessenne, O. and Niemax, K.
Simultaneous multi-element analysis of solid samples by laser ablation-microwave-induced plasma optical emission spectrometry 152
- Hogendoorn, E.A., see Sancho-Llopis, J.V. 287
- Hoogmartens, I.
—, Adriaenssens, P., Vanderzande, D. and Gelan, J.
Improving selectivity by using a multipurpose cross polarization magic angle spinning NMR pulse sequence. Characterization of π -conjugated compounds 1025
- Houalla, M., see Hercules, D.M. 42
- Huang, X.Z., see Li, Y.Q. 903
- Huang, Y.L.
—, Khoo, S.B. and Yap, M.G.S.
Flow-injection analysis-wall-jet electrode system for monitoring glucose and lactate in fermentation broths 763
- Hughes, E., see Koons, J.M. 1045
- Hwang, S.-J., see Gerstein, B.C. 1059
- Imasaka, T., see Kawabata, Y. 689
- Ismail Salem, I.
— and Cerezo Galan, A.
Determination of the stability of morphine tablets by ion-pair reversed-phase liquid chromatography 334
- Isoyama, H., see Uchida, T. 881
- Izquierdo-Ridorsa, A., see Casassas, E. 538
- Jacintha, M.A., see Rethwisch, D.G. 1033
- Jaffrezic-Renault, N., see Soldatkin, A.P. 695
- Janssens, K.
—, Vincze, L., Adams, F. and Jones, K.W.
Synchrotron radiation-induced x-ray microanalysis 98
- Janssens, K., see Adams, F. 19
- Jiang, Z., see Peng, X. 887
- Jones, K.W., see Janssens, K. 98
- Kalous, J.
—, Brázdová, D. and Vytřas, K.
Microdetermination of sulphate and organic sulphur: potentiometric back-titration using simple coated-wire electrodes 645
- Kaner, R.B., see Franke, D. 987
- Kawabata, Y.
—, Sugamoto, H. and Imasaka, T.
Micro-optrode for urea using an ammonium ion-sensitive membrane covered with a urease-immobilized membrane 689
- Kawazumi, H.
—, Yasuda, T.-o. and Ogawa, T.
Two-photon ionization detection of adsorbed molecules on a metal surface at atmospheric pressure by 355-nm laser irradiation 111
- Kayali, M.N., see Rubio-Barroso, S. 304
- Khoo, S.B., see Huang, Y.L. 763
- Kikuchi, N.
—, Matsuno, K. and Miki, T.
Separation and determination of betaine in an oriental medicine by liquid chromatography 338
- Klinowski, J.
Applications of solid-state NMR for the study of molecular sieves. Review 929
- Koenig, J.L., see Silvestri, R.L. 997
- Koons, J.M.
—, Hughes, E. and Ellis, P.D.
Non-linear least squares procedure for the extraction of NMR parameters from multi-tensor solid state line shapes 1045
- Langford, C.H., see Gutzman, D.W. 773
- Laserna, J.J.
Combining fingerprinting capability with trace analytical detection: surface-enhanced Raman spectrometry 607

- Leal, C., see Compañó, R. 272
- Legge, G.J.F.
—, Saint, A. and Cholewa, N.
Non-destructive 2- and 3-dimensional microanalysis with (high energy) ion microprobes 62
- Li, Y.Q.
—, Huang, X.Z. and Xu, J.G.
Raman scattering interference in constant-wavelength synchronous spectrofluorimetry 903
- Liapis, K.S., see Miliadis, G.E. 258
- Lima, J.L.F.C., see Alçada, M.N.M.P. 657
- Lin, Q.
—, Guiraúm, A., Escobar, R. and De la Rosa, F.F.
Flow-injection chemiluminescence determination of cobalt(II) and manganese(II) 379
- Liu, S.
— and Dasgupta, P.K.
A simple means to increase absorbance detection sensitivity in capillary zone electrophoresis 747
— and Dasgupta, P.K.
Electroosmotically pumped capillary flow-injection analysis. Valve-based injection systems and sample throughput 739
- Liu, Y.M., see Valencia-González, M.J. 439
- López, F.J., see Beltran, J. 297
- López Carreto, M.
—, Sicilia, D., Rubio, S. and Pérez-Bendito, D.
Simultaneous determination of arsenate and phosphate by use of the kinetic wavelength-pair method 481
- López García, I.
—, Arroyo Cortéz, J. and Hernández Córdoba, M.
Slurry-electrothermal atomic absorption spectrometry of samples with large amounts of silica. Determination of cadmium, zinc and manganese using fast temperature programmes 167
- López García, I., see Viñas, P. 393
- Luque de Castro, M.D., see Fernández-Romero, J.M. 447
- Luque de Castro, M.D., see Quevauviller, Ph. 600
- Luque de Castro, M.D., see Richter, P. 408
- Maier, E.A.
—, Quevauviller, Ph. and Griepink, B.
Interlaboratory studies as a tool for many purposes: proficiency testing, learning exercises, quality control and certification of matrix materials 590
- Maier, E.A., see Quevauviller, Ph. 583
- Málková, Z., see Novák, J. 923
- Maniasso, N., see Arruda, M.A.Z. 476
- Manz, A., see Harrison, D.J. 361
- Maquieira, A.
—, Casamayor, F., Puchades, R. and Sagrado, S.
Determination of total and free sulphur dioxide in wine with a continuous-flow microdistillation system 401
- Marco, V.
—, Carrillo, F., Pérez-Conde, C. and Cámara, C.
Kinetic flow-injection spectrofluorimetric method for the determination of fluoride 489
- Marcos, J.
—, Ríos, A. and Valcárcel, M.
Automatic determination of Michaelis-Menten constants by the variable flow-rate technique 429
- Marr, I.L., see Cruz, I. 280
- Martelet, C., see Soldatkin, A.P. 695
- Masini, J.C.
Evaluation of neglecting electrostatic interactions on the determination and characterization of the ionizable sites in humic substances 803
- Matsumoto, K., see Baeza Baeza, J.J. 785
- Matsuno, K., see Kikuchi, N. 338
- Mattiasson, B., see Shu, H.-C. 727
- Mellon, F.A.
—, Eagles, J., Fox, T.E. and Fairweather-Tait, S.J.
Absorption and bioavailability studies of mineral nutrients by mass spectrometry 190
- Méndez, J.
—, Quejido, A.J., Pérez-Pastor, R. and Pérez-García, M.
Chemometric study of organic pollution in the aerosol of Madrid 528
- Meyerhoff, M.E., see Wang, E. 673
- Miki, T., see Kikuchi, N. 338
- Miliadis, G.E.
— and Liapis, K.S.
Determination of arsenic residues in agricultural products of Milos island 258
- Molins Legua, C.
—, Campíns Falcó, P. and Sevillano Cabeza, A.
Extractive-spectrophotometric determination of amphetamine in urine samples with sodium 1,2-naphthoquinone 4-sulphonate 635
- Montenegro, M.C.B.S.M., see Alçada, M.N.M.P. 657
- Moonen, J., see Barendswaard, W. 1007
- Mottola, H.A., see Baeza Baeza, J.J. 785
- Muller, D., see Ryan, N. 344
- Nagy, A.
— and Nagy, G.
Amperometric air gap cell for the measurement of free cyanide 795
- Nagy, G., see Nagy, A. 795
- Neilen, M., see Barendswaard, W. 1007
- Netchiporouk, L.I., see Soldatkin, A.P. 695
- Niemax, K., see Hiddemann, L. 152
- Nigretto, J.-M., see Randriamahazaka, H. 719
- Novák, J.
—, Málková, Z., Pokorná, Z. and Hamplová, V.
Cerimetric determination of oxygen balance in oxide superconductors 923
- Nyamsi Hendji, A.M., see Soldatkin, A.P. 695
- Oda, H., see Uchida, T. 881
- Oechsner, H.
Inorganic mass spectrometry for surface and thin film analysis 131
- Ogawa, T., see Kawazumi, H. 111

- Olson, D.L.
— and Scheeline, A.
The peroxidase-NADH biochemical oscillator: experimental system, control variables, and oxygen mass transport 703
- Otto, M.
Fuzzy logic for spectra interpretation 500
- Padró, A., see Rubio, R. 160
- Palacios, M.A., see Cobo Fernandez, M.G. 386
- Palys, M.J.
—, Bos, M. and Van der Linden, W.E.
Automatic polarographic elucidation of electrode mechanisms by means of a knowledge-based system. Part 3. Mechanisms ECE, EE and mechanisms involving adsorption 811
- Pan, S.
— and Arnold, M.A.
Amperometric internal enzyme gas-sensing probe for hydrogen peroxide 663
- Peng, X.
—, Jiang, Z. and Zen, Y.
On-line microcolumn preconcentration with desolvation and determination of trace elements by flow-injection inductively coupled plasma atomic emission spectrometry 887
- Pérez-Bendito, D., see De la Peña, L. 471
- Pérez-Bendito, D., see López Carreto, M. 481
- Pérez-Conde, C., see Marco, V. 489
- Pérez-García, M., see Méndez, J. 528
- Pérez-Pastor, R., see Méndez, J. 528
- Pilar da Silva, M.
—, Procopio, J.R. and Hernández, L.
Liquid chromatographic study of the photochemical decomposition of sodium ethylmercurithiosalicylate 326
- Poe, R.B.
— and Rutan, S.C.
Effects of resolution, peak ratio and sampling frequency in diode-array fluorescence detection in liquid chromatography 845
- Pokorná, Z., see Novák, J. 923
- Polo-Díez, L.M., see Rubio-Barroso, S. 304
- Pouchou, J.-L.
X-Ray microanalysis of stratified specimens 81
- Prat, M.D., see Compañó, R. 272
- Praus, P.
— and Dombek, V.
Utilization of polyethylene glycol for the separation of chlorophenols by capillary isotachopheresis 917
- Procopio, J.R., see Pilar da Silva, M. 326
- Proctor, A., see Hercules, D.M. 42
- Pruski, M., see Gerstein, B.C. 1059
- Puchades, R., see Maquieira, A. 401
- Quejido, A.J., see Méndez, J. 528
- Quevauviller, Ph.
—, Maier, E.A. and Griepink, B.
Projects for the improvement and quality control of inorganic and organic analysis in environmental matrices 583
—, Van Renterghem, D., Griepink, B., Valcarcel, M., Luque de Castro, M.D. and Cosano, J.
Interlaboratory programme for the quality control of nitrate determination in freshwater 600
- Quevauviller, Ph., see Maier, E.A. 590
- Quevauviller, Ph., see Rubio, R. 207
- Quiles-Zafra, R., see Fernández-Romero, J.M. 447
- Ramis-Ramos, G.
Analytical characteristics, applications and perspectives in thermal lens spectrometry 623
- Randriamahazaka, H.
— and Nigretto, J.-M.
Electrochemical activation of human factor XII (Hageman factor) immobilized on carbon electrodes 719
- Ratcliffe, C.I., see Ripmeester, J.A. 1103
- Rauret, G., see Rubio, R. 160, 207
- Rethwisch, D.G.
—, Jacintha, M.A. and Dybowski, C.R.
Quantification of ^{13}C in solids using CPMAS-DD-NMR spectroscopy 1033
- Richter, P.
—, Luque de Castro, M.D. and Valcárcel, M.
Spectrophotometric flow-through sensor for the determination of sulphur dioxide 408
- Rigin, V.
Simultaneous atomic fluorescence spectrometric determination of traces of iron, cobalt and nickel after conversion to their carbonyls and gas-phase atomization by microwave-induced plasma 895
- Ríos, A., see Marcos, J. 429
- Ripmeester, J.A.
— and Ratcliffe, C.I.
 ^{129}Xe NMR spectroscopy in microporous solids: the effect of bulk properties 1103
- Rius, F.X.
Expert systems in trace analysis 518
- Román Ceba, M., see Cruces Blanco, C. 213
- Rousseau, J., see Backbier, L. 855
- Rubio-Barroso, S.
—, Kayali, M.N. and Polo-Díez, L.M.
Fluorimetric study of polycyclic aromatic hydrocarbons in Brij-35 micellar solution. Evaluation of polycyclic aromatic hydrocarbons in air samples 304
- Rubio, R.
—, Padró, A., Albertí, J. and Rauret, G.
Determination of arsenic speciation by liquid chromatography-hydride generation inductively coupled plasma atomic emission spectrometry with on-line UV photooxidation 160
—, Sahuquillo, A., Rauret, G., Garcia Beltran, L. and Quevauviller, Ph.
Systematic study of chromium determination in urine by graphite furnace atomic absorption spectrometry 207
- Rubio, S., see López Carreto, M. 481
- Rutan, S.C., see Poe, R.B. 845

- Ryan, N.
—, Glennon, J.D. and Muller, D.
On-line trace metal ion preconcentration in ion chromatography using carboxymethyl and hydroxamate dextran-coated silicas 344
- Sagrado, S., see Maquieira, A. 401
Sahuquillo, A., see Rubio, R. 207
Saint, A., see Legge, G.J.F. 62
Sancho-Llopis, J.V.
—, Hernández-Hernández, F., Hogendoorn, E.A. and Van Zoonen, P.
Rapid method for the determination of eight chlorophenoxo acid residues in environmental water samples using off-line solid-phase extraction and on-line selective pre-column switching 287
Sanz-Medel, A.
Solid surface photoluminescence and flow analysis: a happy marriage 367
Sanz-Medel, A., see Garcia-Alonso, J.I. 261
Sanz-Medel, A., see Valdés-Hevia y Temprano, M.C. 175
Sanz-Medel, A., see Valencia-González, M.J. 439
Sanz-Nebot, V., see Barbosa, J. 320
Saurina, J.
— and Hernández-Cassou, S.
Continuous-flow spectrophotometric determination of amino acids with 1,2-naphthoquinone-4-sulphonate reagent 414
Scheeline, A., see Olson, D.L. 703
Schullerer, S.
— and Frimmel, F.H.
Characterization of organic sulphur compounds in surface water by ion-pair adsorption under different conditions 251
Schwedt, G., see Do Nascimento, D.B. 909
Schwedt, G., see Do Nascimento, P.C. 755
Seefeld, S.
— and Baltensperger, U.
Determination of bromide in snow samples by ion chromatography with electrochemical detection 246
Seiler, K., see Harrison, D.J. 361
Servant, R.E., see Gautier, E.A. 350
Sevilla, M.T., see Agraz, R. 650
Sevillano Cabeza, A., see Molins Legua, C. 635
Shellum, C., see Gübitz, G. 421
Sherwood, P.M.A.
Surface analysis for the investigation of electrochemical and corrosion systems 52
Shu, H.-C.
—, Håkanson, H. and Mattiasson, B.
D-Lactic acid in pork as a freshness indicator monitored by immobilized D-lactate dehydrogenase using sequential injection analysis 727
Shul'ga, A.A., see Soldatkin, A.P. 695
Sicilia, D., see López Carreto, M. 481
Sieger, P., see Engelhardt, G. 967
Siles Cordero, M.T., see Vereda Alonso, E. 224
Silvestri, R.L.
— and Koenig, J.L.
Applications of nuclear magnetic resonance spectrometry to solid polymers. Review 997
Soldatkin, A.P.
—, El'skaya, A.V., Shul'ga, A.A., Netchiporouk, L.I., Nyamsi Hendji, A.M., Jaffrezic-Renault, N. and Martelet, C.
Glucose-sensitive field-effect transistor with additional Nafion membrane. Reduction of influence of buffer capacity on the sensor response and extension of its dynamic range 695
Struyf, H.
—, Van Roy, W., Van Vaec, L., Van Grieken, R., Gijbels, R. and Caravatti, P.
Laser microprobe Fourier transform mass spectrometer with external ion source for organic and inorganic microanalysis 139
Sugamoto, H., see Kawabata, Y. 689
Tauler, R., see Casassas, E. 538
Tölg, G.
Problems and trends in extreme trace analysis for the elements 3
Treece, R.E., see Franke, D. 987
Uchida, T.
—, Isoyama, H., Oda, H., Wada, H. and Uenoyama, H.
Determination of ultratrace metals in biological standards by inductively coupled plasma atomic emission spectrometry with ultrasonic nebulisation 881
Uebbing, J., see Hiddemann, L. 152
Uenoyama, H., see Uchida, T. 881
Valcárcel, M., see Fernández-Romero, J.M. 447
Valcárcel, M., see Marcos, J. 429
Valcárcel, M., see Richter, P. 408
Valcarcel, M., see Quevauviller, Ph. 600
Valdés-Hevia y Temprano, M.C.
—, Aizpún Fernández, B., Fernández de la Campa, M.R. and Sanz-Medel, A.
Study of the influence of ordered media on the determination of lead by hydride generation inductively coupled plasma atomic emission spectrometry 175
Valencia-González, M.J.
—, Liu, Y.M., Díaz-García, M.E. and Sanz-Medel, A.
Optosensing of D-glucose with an immobilized glucose oxidase minireactor and an oxygen room-temperature phosphorescence transducer 439
Van der Linden, W.E., see Palys, M.J. 811
Vanderzande, D., see Hoogmartens, I. 1025
Van Grieken, R., see Struyf, H. 139
Van Renterghem, D., see Quevauviller, Ph. 600
Van Roy, W., see Struyf, H. 139
Van Vaec, L., see Struyf, H. 139
Van Zoonen, P., see Sancho-Llopis, J.V. 287
Verdú-Andrés, J., see Bosch-Reig, F. 831

- Vereda Alonso, E.
—, Cano Pavon, J.M., Garcia de Torres, A. and Siles Cordero, M.T.
Determination of nickel in biological samples prepared by microwave dissolution using electrothermal atomic absorption spectrometry after extraction with 1,5-bis[phenyl-(2-pyridyl)methylene] thiocarbonhydrazide 224
- Viñas, P.
—, Campillo, N., López García, I. and Hernández Córdoba, M.
Flow-injection flame atomic absorption spectrometry for slurry atomization. Determination of calcium, magnesium, iron, zinc and manganese in vegetables 393
- Vincze, L., see Janssens, K. 98
- Voigtman, E.
Computer experimentation in and teaching of modern instrumental techniques using circular dichroism measurement as an example 559
- Vytřas, K., see Kalous, J. 645
- Wada, H., see Uchida, T. 881
- Walczak, B.
— and Wegscheider, W.
Non-linear modelling of chemical data by combinations of linear and neural net methods 508
- Wang, E.
— and Meyerhoff, M.E.
Anion selective optical sensing with metalloporphyrin-doped polymeric films 673
- Wang, J.
— and Wu, H.
Permselective lipid-poly(*o*-phenylenediamine) coatings for amperometric biosensing of glucose 683
- Weber, G.
Measurement of the speciation of iron in the nanogram range: investigation of chromatographic peaks induced by iron blanks 354
- Wegscheider, W., see Walczak, B. 508
- Wells, D.E., see Cruz, I. 280
- Widmer, H.M., see Harrison, D.J. 361
- Wu, H., see Wang, J. 683
- Xu, J.G., see Li, Y.Q. 903
- Yap, M.G.S., see Huang, Y.L. 763
- Yasuda, T.-o., see Kawazumi, H. 111
- Zagatto, E.A.G., see Arruda, M.A.Z. 476
- Zen, Y., see Peng, X. 887
- Zinn, P., see Bruchmann, A. 869